
More



Available colors / Colori disponibili



00 06 10 14 34 52


MORE NA




Chromed, white or black painted 4-Legged metal frame; techno-polymer shell.
Struttura in metallo 4 gambe, cromata, verniciata bianca o nera; scocca in tecnopolimero.

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818

only for paintend frames
solo per telai verniciati



NA not assembled / non assemblato



frame / telaio
0,19 m³ - 12 kg.
62x58x52cm
4 pcs [carton]

shell / scocca
0,19 m³ - 13 kg.
62x58x52cm
4 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod.170.--/NA chromed/cromata
cod.170.--/NAN black painted/verniciato nero
cod.170.--/NAB white painted/verniciato bianco

Support and glides white for shells cod. 00-52
Support and glides black for shells cod. 06-10-14-34
Supporto e tappi bianchi per scocche cod. 00-52
Supporto e tappi neri per scocche cod. 06-10-14-34


MORE TC




Chromed or white painted wire steel metal frame, techno-polymer shell.
Struttura a traliccio in filo, cromata o verniciata bianca, scocca in tecnopolimero.

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818

only for paintend frames
solo per telai verniciati



NA not assembled / non assemblato



frame / telaio
0,19 m³ - 6 kg.
62x58x52cm
2 pcs [carton]

shell / scocca
0,19 m³ - 6 kg.
62x58x52cm
2 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici


cod.170.--/TC chromed/cromata
cod.170.--/TCB white painted/verniciato bianco
cod.170.--/TCN black painted/verniciato nero

MORE BL




4-Legged wooden beech frame, techno-polymer shell.
Struttura in legno di faggio 4 gambe, scocca in tecnopolimero.

F



NA not assembled / non assemblato



telaio / frame
0,19 m³ - 12 kg.
62x58x52cm
4 pcs [carton]

scocca / shell
0,19 m³ - 13 kg.
62x58x52cm
4 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod.170.--/BLF beech/faggio

Felt Glides / Tappi in feltro


MORE ST



Chromed or painted sled steel frame, techno-polymer shell.
Struttura a slitta, cromata o verniciata, scocca in tecnopolimero.

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818

only for paintend frames
solo per telai verniciati



NA not assembled / non assemblato



0,24 m^3 - 16 kg.
66x55x63cm
2 pcs [carton]


Frame Finishing & Codes / Finiture Telai e Codici

cod.170.--/ST chromed/cromata
cod.170.--/STB white painted/verniciato bianco
cod.170.--/STN black painted/verniciato nero

MORE 05R



Swivel on 5-spur polished or painted aluminum base, height adjustable, techno-polymer shell.
Girevole su basamento 5 razze in alluminio pulito o verniciato, regolabile in altezza, scocca in tecnopolimero.



NA not assembled / non assemblato



0,24 m^3 - 8,1 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici


cod.170.--/05RN black painted/verniciata nera
cod.170.--/05R polished/lucida

MORE U



Swivel on 4-blade aluminum painted base, with glides.
Girevole su basamento verniciato in alluminio a 4 razze su piedini.

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818



NA not assembled / non assemblato



0,33 m^3 - 8,1 kg.
60x56x51cm

62x57x42cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici


cod.170.--/UB white/bianca
cod.170.--/UN black/nera

Felt Glides / Tappi in feltro

MORE UR



Swivel on 4-blade aluminum painted base, with castors.
Girevole su basamento verniciato in alluminio a 4 razze su ruote.



NA not assembled / non assemblato



0,33 m^3 - 8,1 kg.
60x56x51cm

62x57x42cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod.170.--/URB white/bianca
cod.170.--/URN black/nera

MORE
CUSHION / CUSCINO



King fabric cushion.
Cuscino in tessuto King.

Available fabric.
Tessuti disponibili.
K



0,060 m^3 - 2 kg.
4 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod.302.--

Fixing clips are always black
I bottoni sono sempre neri

Min. order 4pcs each code
Ordine min 4pz per codice

MORE UPHOLSTERED IMBOTTITE


Products follows UNI 9175 -UNI 9175/FA, in terms of Fire Resistance, Fire Reation Class 1IM (see Page 11 for list)
Prodotto Omologato dal Ministero dell'Interno, secondo la UNI 9175 -UNI 9175/FA, con classe di Reazione al fuoco 1IM (consultare Pag. 11 per elenco)

Available coverings / Finiture disponibili
King fabric / Tessuto King **K** (4pcs min.)
Aurea eco-leather / Ecopelle aurea **E** (4pcs min.)
Kvadrat fabrics / Tessuti Kvadrat **DK** (4pcs min.)
COM fabric / Tessuto cliente **TC** (10pcs min.)

MORE NA
UPHOLSTERED



Upholstered PU-FLEX shell, chromed or painted metal frame.
Scocca in PU-FLEX rivestita, telaio in metallo cromato o verniciato.



NA not assembled / non assemblato



0,19 m^3 - 7 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IENA chromed/cromata
cod. 172.--/IENAB white painted/verniciato bianco
cod. 172.--/IENAN black painted/verniciato nero
cod. 172.--/IKNA chromed/cromata
cod. 172.--/IKNAB white painted/verniciato bianco
cod. 172.--/IKNAN black painted/verniciato nero
cod. 172.--/IDKNA chromed/cromata
cod. 172.--/IDKNAB white painted/verniciato bianco
cod. 172.--/IDKNAN black painted/verniciato nero
cod. 172/ITCNA chromed/cromata
cod. 172/ITCNAB white painted/verniciato bianco
cod. 172/ITCNAN black painted/verniciato nero

Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)


COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice

MORE TC
UPHOLSTERED



Upholstered PU-FLEX shell, chromed or painted metal frame.
Scocca in PU-FLEX rivestita, telaio in metallo cromato o verniciato.



NA not assembled / non assemblato



0,19 m^3 - 6 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IETC chromed/cromata
cod. 172.--/IETCB white painted/verniciato bianco
cod. 172.--/IETCN black painted/verniciato nero
cod. 172.--/IKTC chromed/cromata
cod. 172.--/IKTCB white painted/verniciato bianco
cod. 172.--/IKTCN black painted/verniciato nero
cod. 172.--/IDKTC chromed/cromata
cod. 172.--/IDKTCB white painted/verniciato bianco
cod. 172.--/IDKTCN black painted/verniciato nero
cod. 172/ITCTC chromed/cromata
cod. 172/ITCTCB white painted/verniciato bianco
cod. 172/ITCTCN black painted/verniciato nero

Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)

COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice


MORE BL
UPHOLSTERED



Upholstered PU-FLEX shell, wooden beech frame.
Scocca in PU-FLEX rivestita, base in legno faggio.



F



NA not assembled / non assemblato



0,27 m^3 - 9 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IEBLF beech/faggio
cod. 172.--/IKBLF beech/faggio
cod. 172.--/IDKBLF beech/faggio
cod. 172/ITCBLF beech/faggio

Felt Glides / Tappi in feltro
Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)


COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice

MORE ST
UPHOLSTERED



Upholstered PU-FLEX shell,
chromed or painted metal frame.
Scocca in PU-FLEX rivestita,
telaio in metallo cromato o verniciato.



NA not assembled / non assemblato

0,24 m^3 - 8,1 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IEST chromed/cromata
cod. 172.--/IESTB white painted/verniciato bianco
cod. 172.--/IESTN black painted/verniciata nera
cod. 172.--/IKST chromed/cromata
cod. 172.--/IKSTB white painted/verniciato bianco
cod. 172.--/IKSTN black painted/verniciata nera
cod. 172.--/IDKST chromed/cromata
cod. 172.--/IDKSTB white painted/verniciato bianco
cod. 172.--/IDKSTN black painted/verniciata nera
cod. 172/ITCST chromed/cromata
cod. 172/ITCSTB white painted/verniciato bianco
cod. 172/ITCSTN black painted/verniciata nera

Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)


COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice

MORE O5R
UPHOLSTERED



Upholstered PU-FLEX shell,
polished or painted aluminum base.
Scocca in PU-FLEX rivestita,
base in alluminio pulito o verniciato.



NA not assembled / non assemblato

0,24 m^3 - 8,1 kg.
66x55x63cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IE05R polished/lucida
cod. 172.--/IE05RN black painted/verniciata nera
cod. 172.--/IK05R polished/lucida
cod. 172.--/IK05RN black painted/verniciata nera
cod. 172.--/IDK05R polished/lucida
cod. 172.--/IDK05RN black painted/verniciata nera
cod. 172/ITC05R polished/lucida
cod. 172/ITC05RN black painted/verniciata nera

Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)


COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice

MORE U
UPHOLSTERED



Upholstered PU-FLEX shell,
polished or painted aluminum base.
Scocca in PU-FLEX rivestita,
base in alluminio pulito o verniciato.



NA not assembled / non assemblato

0,33 m^3 - 8,1 kg.
60x56x51cm

62x57x42cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IEUB white/bianca
cod. 172.--/IEUN black/nera
cod. 172.--/IEUL polished/lucida
cod. 172.--/IKUB white/bianca
cod. 172.--/IKUN black/nera
cod. 172.--/IKUL polished/lucida
cod. 172.--/IDKUB white/bianca
cod. 172.--/IDKUN black/nera
cod. 172.--/IDKUL polished/lucida
cod. 172/ITCUB white/bianca
cod. 172/ITCUN black/nera
cod. 172/ITCUL polished/lucida

Felt Glides / Tappi in feltro
Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)


COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice

MORE UR
UPHOLSTERED



Upholstered PU-FLEX shell,
polished or painted aluminum base
with castors.
Scocca in PU-FLEX rivestita, base in
alluminio pulito o verniciato con ruote.



NA not assembled / non assemblato

0,33 m^3 - 8,1 kg.
60x56x51cm

62x57x42cm
1 pcs [carton]

Frame Finishing & Codes / Finiture Telai e Codici

cod. 172.--/IEURB white/bianca
cod. 172.--/IEURN black/nera
cod. 172.--/IEURL polished/lucida
cod. 172.--/IKURB white/bianca
cod. 172.--/IKURN black/nera
cod. 172.--/IKURL polished/lucida
cod. 172.--/IDKURB white/bianca
cod. 172.--/IDKURN black/nera
cod. 172.--/IDKURL polished/lucida
cod. 172/ITCURB white/bianca
cod. 172/ITCURN black/nera
cod. 172/ITCURL polished/lucida

Fabric required
Fabbisogno di tessuto
1 pcs: Lin Mtrs 1,3 (h1,40)

COM fabric min. order 10pcs each code
Tessuto cliente TC ordine min. 10pz per codice

Min. order 4pcs each code
Ordine min 4pz per codice